

Secondary Security Index

- **Introduction** SS2
- Window Security**
- **Window Types** SS3
- **Features and Functions** SS3
- **Photo Gallery** SS4
- **Range Table** SS5
- **Locks for Wooden Casement Windows** SS6 - 8
- **Locks for Wooden Sash Windows** SS8
- **Locks for Metal Windows** SS9
- Door Security**
- **Door Types** SS10
- **Features and Functions** SS10
- **Photo Gallery** SS11
- **Range Table** SS11
- **Door Security Accessories for Hinged Doors** SS12 - 13
- **Door Accessories for Sliding Doors** SS13
- **Notes** SS14 - 15

Note: We have made every effort to ensure that at the time of going to print all information shown in this catalogue is correct. However, in our efforts to continually improve our products and offer only the highest levels of security and quality we reserve the right to make alterations to the product specifications shown in this catalogue. All dimensions provided within this catalogue are approximate and for guidance only.

Introduction

Yale offer an extensive range of quality secondary security products.

Locks are available to suit wooden casement, wooden sash, and metal windows. Additional security fittings, such as bolts and lockable handles are also available in the Yale range.



Yale is accredited with and meets the requirements of BS EN ISO 9001: 1994.

Keys

Extra keys are available, see the price list for details.



How to Specify

Yale have developed a series of icons to enable the process of product specification to be simplified.

Now you can specifically detail your requirements for a product, therefore ensuring that it includes particular security features. These will give confidence when specifying and ensure that the right products are used on the right application.

Example: If you require a window bolt that is Tamper Resistant look for the screwdriver icon (7) in the range table.

Yale, Simplifying the Specification Process.

Trade and Multi Pack Options

Various pack sizes and formats are available, see the price list for details.


Security Features

- 1 **Protected Section**
Products are available as an option on a patented key section.
- 2 **Drill Resistant**
Hardened protection against drill attack.
- 3 **Saw Resistant**
Hardened protection against saw attack.
- 4 **Force Resistant**
Built in strength against force attack.
- 5 **Pick Resistant**
Built in protection to resist picking.
- 6 **Torque Resistant**
Built in strength against torque attack.
- 7 **Tamper Resistant**
Built in protection against Tampering.
- 8 **Corrosion Resistant**
Products conform to appropriate anti-corrosion requirements.
- 9 **Fire Resistant**
Products conform to appropriate fire test requirements.
- 10 **Escape**
Products for use on an escape door.
- 11 **Key Control**
The products can be included in a key control system.
- 12 **Guarantee**
Products are guaranteed for a period of time.



Window Types

Hinged Casement Windows




Materials


- (T) Timber
- (M) Metal

Narrow Frame

Many Yale locks have a body of 20mm or less and are therefore suitable for a narrow frame



Sliding Sash Windows





Features and Functions

Ventilation Position

Some locks allow the window to be locked both in the closed and in a slightly open position allowing ventilation.



 **Tamper Resistant**
Concealed fixings.

 **Guarantee**
Guarantee period applicable when used with original Yale Keys and maintenance instructions followed.

Fitting Aids

Many products are supplied with Ease of Fitting in mind and are supplied with fitting aids as standard.

Wedge

For tapered frames, a wedge is supplied to square up the lock to the window section.



Universal or Unique Key

Universal key means there is one standard key that works the lock.

Unique Key means that variations of the key shape provide a different number of keys to the lock.

Finishes: Brass White Satin

Additional Security: On windows larger than 0.5 metre sq. it is recommended that 2 locks are fitted to help against a force attack. ▼



Window Security

Locks for Wooden Casement Windows




Yale P111 Page SS6



Yale P112 Page SS6



Yale P113 Page SS6



Yale P117 Page SS7

Locks for Wooden Casement Windows



Yale P118 Page SS7



Yale P115 Page SS7



Yale P120 Page SS8

Sash Window Locks



Yale P119 Page SS8




Yale P123 Page SS8

Metal Window Locks



Yale P113M Page SS9




Yale P121 Page SS9



Yale P122 Page SS9

Yale®

Window Security



Features/Functions

Window Specification

Case Finishes

Yale Locks for Wooden Windows

Product Name	Security Features	Rating	Universal/Unique Key	Locking Method			Locks Existing Fastener	Ventilation Position	Fitting Aids Supplied	Window Material	Suited to Narrow Frame	Case Finishes		
				Key	Manual	Automatic						Brass	White	Satin
P111 Window Staylock		5	Universal	●			●		Wood		●		●	
P112 Window Screwlock		5	Universal	●				Wedge	Wood	●			●	
P113 Window Toggle Lock	●	5	Universal	●	●				Wood	●		●		
P117 Ventilation Window Lock		5	Universal	●				●	Wedge	Wood	●		●	
P118 Automatic Window Lock	●	5	Universal			Snap Lock			Wedge	Wood	●		●	
P115 Lockable Window Handle	●	5	Unique	●	●				Wedge	Wood	●	●	●	
P120 Staybolt		5	Universal							Wood	●		●	

Yale Locks for Wooden Sash Windows

P119 Window Bolt	●	5	Universal	●						Wood	●		●
P123 Pressbolt		5	Unique		●					Wood	●		●



Yale Locks for Metal Windows

P113M Toggle Window Lock	●	5	Universal							Wood	●		●
P121 Stay Clamp		5	Universal	●			●			Metal			●
P122 Handle Bolt		5	Universal	●			●			Metal			●

Locks for Wooden Casement Windows



Yale P111 Window Staylock

- Surface-fixed lock that replaces the stay-peg on the existing window fastener.





Yale P112 Window Screwlock

- Surface fixed lock that secures the window to the window frame.



Yale P113 Toggle Window Lock

- Surface fixed lock that swings over a frame fixed striking plate.




		P111	P112	P113
Security Features				
				•
		5	5	5
Features/Functions				
Universal/Unique Key		Universall	Universal	Universal
Locking Method	Key	•	•	•
	Manual			•
	Automatic	•		
Locks Existing Fastener				
Ventilation Position				
Fitting Aids Supplied			Wedge	
Window Specification				
Window Material		Wood	Wood	Wood
Suited to Narrow Frame			•	•
Case Finishes				
		•		
				•
		•	•	

Locks for Wooden Casement Windows


Yale P117 Ventilation Window Lock

- Surface-fixed lock that offers restricted opening and locking in a ventilation position.





Yale P118 Automatic Window Lock

- Surface fixed lock which automatically snaplocks on closing the window



Yale P115 Lockable Window Handle

- Surface fixed handle incorporating the lock mechanism. Locks both in closed and ventilation positions.





		P117	P118	P115
Security Features				
	Tamper Resistant		•	•
	Guarantee	5	5	5
Features/Functions				
Universal/Unique Key		Universall	Universal	Unique
Locking Method	Key	•		•
	Manual			•
	Automatic		Snap-lock	
Locks Existing Fastener				
Ventilation Position		•		
Fitting Aids Supplied		Wedge	Wedge	Wedge
Window Specification				
Window Material		Wood	Wood	Wood
Suited to Narrow Frame		•	•	•
Case Finishes				
Brass				•
White		•	•	•
Satin				

Locks for Wooden Casement Windows

Yale P120 Staybolt



- Existing stay fits onto the lock and the bolt prevents the stay from moving.



Locks for Sash Windows



Yale P119 Window Bolts

- Simple bolt fixing which secures inner and outer frames of sash window, preventing movement.
- Two bolts recommended for larger windows.



Yale P123 Pressbolt

- Lock incorporating a pressbolt preventing the inner and outer frames of the sash window from passing each other.





		P120	P119	P123
Security Features				
Tamper Resistant			•	
Guarantee		5	5	5
Features/Functions				
Universal/Unique Key		Universall	Universal	Universal
Locking Method	Key	•	•	
	Manual			•
	Automatic			
Locks Existing Fastener		•		
Ventilation Position				
Fitting Aids Supplied				
Window Specification				
Window Material		Wood	Wood	Wood
Suited to Narrow Frame		•	•	•
Case Finishes				
Brass			•	
White		•		•
Satin				

Locks for Metal Windows



Yale P113M Toggle Window Lock

- Surface-fixed lock that fixes over a frame fixed striking plate.





Yale P121 Stayclamp

- Device that secures around the metal stay bracket and screws into the hole on the arm, preventing movement.



Yale P122 Handle Bolt


- Bolt fitted onto forked part of cockspur, preventing the handle from moving.



		P113M	P121	P122
Security Features				
	Tamper Resistant	•		
	Guarantee	5	5	5
Features/Functions				
Universal/Unique Key		Universall	Universal	Universal
Locking Method	Key		•	•
	Manual			
	Automatic			
Locks Existing Fastener			•	•
Ventilation Position				
Fitting Aids Supplied				
Window Specification				
Window Material		Wood	Metal	Metal
Suited to Narrow Frame		•		
Case Finishes				
		•		
			•	•


What Type of Door ?

- A comprehensive range of security devices for both, exterior and interior glass panelled or solid doors.




Door Types

- T** Timber
- M** Metal



- Sliding Patio Doors



Features and Functions



Tamper Resistant
Concealed fixings.


Guarantee
Guarantee period applicable when used with original Yale keys and maintenance instructions followed.

Universal or Unique Key

Universal key means there is one standard key that works the lock.
Unique Key means that variations of the key shape provide a different number of keys to the lock.

Angle of Vision

All door viewers have a viewing area in which to see movement. This is measured in degrees.



Finishes: Brass Satin White

Additional Security: Where mortice bolts and/or hinge bolts are used, 2 per door are recommended to help against a force attack.

Door Security




Door Accessories



Yale P124 Page SS12



Yale PM444 Page SS12



Yale P125 Page SS12

Door Accessories



Yale P1037 Page SS13




Yale P9401 Page SS13

Patio Door Lock



Yale P114 Page SS13

Yale® Door Security



Yale Door Bolts

<i>P124 Multi-Purpose Door Bolt</i>	5	Unique				Wood/Metal		•	•	•
<i>PM444 Door Security Bolt</i>	•	5	Universal			Wood		•	•	•
<i>P125 Hinge Bolts</i>	5	N/A		Auto		Wood		•		•

Yale Door Security Accessories

<i>P1037 Door Chain</i>	5	N/A	N/A			Wood		•		
<i>P9401 Door Viewer</i>	5	N/A	20-94			Wood	35-57mm	•		
<i>P114 Patio Door Lock</i>	5	Unique	N/A	•	VP Available in DMG	Wood			•	


Key: VP = Ventilation Position. DMG Dark Metallic Grey.

Features / Functions					Door Specification			Finish Options		
Universal/Unique Key	Approx. Angle of Vision	Locking Key	Method Manual	Other Features	Door Material	Door Thickness mm	Suited to Narrow Doors	Brass	White	Satin
Unique			•		Wood/Metal		•	•		•
Universal		•			Wood		•	•		•
N/A			Auto		Wood		•			•
N/A	N/A				Wood			•		
N/A	20-94				Wood	35-57mm		•		
Unique	N/A		•	VP Available in DMG	Wood				•	

Door Bolts



Yale P124 Multi-Purpose Door Bolt

- Surface fixed bolt suitable for both Aluminium sliding doors and flush wooden doors.




Yale PM444 Door Security Bolt

- Mortice fixing with bolt throwing into the door frame.
- Lock concealed within the door, so not visible from outside.



Yale P125 Hinge Bolts

- Ideal for outward opening doors.
- Automatically engages and disengages when opening and closing the door.





	P124	PM444	P125
Security Features			
Tamper Resistant	•	•	
Guarantee	5	5	5
Features/Functions			
Universal/Unique Key	Unique	Universal	N/A
Approx. Angle of Vision			
Locking Method	Key	•	
	Manual	•	Auto
Other Features			
Door Specification			
Door Material	Wood/Metal	Wood	Wood
Door Thickness mm			
Suited to Narrow Frame	•	•	•
Case Finishes			
Brass	•	•	
White		•	
Satin	•		

Door Security Accessories



Yale P1037 Door Chain

- Surface fitted security accessory.
- Simple to install.
- Helps identify a caller before the door is fully released.





Yale P9401 Door Viewer

- Adjustable to fit door thickness 35mm - 57mm.
- Wide angle of view.
- Helps identify caller before opening the door.



Yale P114 Patio Door Lock

- Simple, effective security. Suitable for most sliding patio doors.
- Push to lock action (no key required). Offers an optional ventilation position. Features security clutch-head screws.



		P1037	P9401	P114
Security Features				
	Tamper Resistant		N/A	•
	Guarantee	5	5	5
Features/Functions				
Universal/Unique Key		N/A	N/A	Unique
Approx. Angle of Vision		N/A	90-94	N/A
Locking Method	Key			
	Manual	•	N/A	•
Other Features				VP Available in DMG
Door Specification				
Door Material		Wood	Wood	Metal
Door Thickness mm			33mm-57mm	
Suited to Narrow Frame		•	•	•
Case Finishes				
		•	•	
				•
				•